

=> d his

(FILE 'HOME' ENTERED AT 17:19:34 ON 25 FEB 2004)

FILE 'REGISTRY' ENTERED AT 17:19:42 ON 25 FEB 2004


L1 STRUCTURE UPLOADED

L2 0 S L1

L3 0 S L1 FULL

=> d que 13 stat

L1 STR



M

Structure attributes must be viewed using STN Express query preparation.

L3 0 SEA FILE=REGISTRY SSS FUL L1


100.0% PROCESSED 63 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

=> => d que 110 stat

L8 STR



Structure attributes must be viewed using STN Express query preparation.

L10 5 SEA FILE=REGISTRY SSS FUL L8

10/666.435


Page 2

100.0% PROCESSED 63 ITERATIONS
SEARCH TIME: 00.00.01

5 ANSWERS


=> d 1-5 ide can

L10 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 384818-50-2 REGISTRY
CN Benzoic acid, 2,2'-[1,4-phenylenebis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis-, calcium salt (1:1) (9CI) (CA INDEX NAME)
MF C28 H24 N6 O8 . Ca
SR CAS Client Services
CRN (156564-68-0)



●Ca

L10 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 359688-15-6 REGISTRY
CN 1,4-Benzenedicarboxylic acid, 2,2'-[1,4-phenylenebis[imino(1-acetyl-2-oxo-
2,1-ethanediyl)azo]]bis-, tetrasodium salt (9CI) (CA INDEX NAME)
MF C30 H24 N6 O12 . 4 Na
SR CA
LC STN Files: CA, CAPLUS




● 4 Na

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 135:228321

L10 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 156564-68-0 REGISTRY
CN Benzoic acid, 2,2'-[1,4-phenylenebis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H24 N6 O8
CI COM
SR CA
LC STN Files: CA, CAPLUS, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 121:111471

L10 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 91991-64-9 REGISTRY
CN Benzoic acid, 2,2'-[(2-chloro-1,4-phenylene)bis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis[4-chloro- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H21 Cl3 N6 O8
LC STN Files: CA, CAPLUS




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 101:132460

```
L10 ANSWER 5 OF 5  REGISTRY  COPYRIGHT 2004 ACS on STN
RN  57532-26-0  REGISTRY
CN  1,2-Benzenedicarboxylic acid, 3,3'-[(2,5-dichloro-1,4-
    phenylene)bis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis- (9CI) (CA
    INDEX NAME)
FS  3D CONCORD
MF  C30 H22 Cl2 N6 O12
LC  STN-Files:  BEILSTEIN*, CA, CAPLUS, CHEMLIST, IFICDB, IFIPAT, IFIUDB,
    USPATFULL
    (*File contains numerically searchable property data)
    Other Sources:  EINECS**, NDSL**, TSCA**
    (**Enter CHEMLIST File for up-to-date regulatory information)
```

PAGE 1-A



PAGE 1-B

 $\text{—CO}_2\text{H}$

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 84:6482

=> fil capl

FILE 'CAPLUS' ENTERED AT 17:27:50 ON 25 FEB 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Feb 2004 VOL 140 ISS 9

FILE LAST UPDATED: 24 Feb 2004 (20040224/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'FIONA' IS DEFAULT FORMAT FOR 'CAPLUS' FILE


=> s l10

L11 4 L10

=> d 1-4 bib abs hitstr

L11 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2001:714665 CAPLUS
 DN 135:228321
 TI Bis-azo compounds and their use in pigment/ink compositions for improved dispersion properties
 IN Tirel, Malcolm David; Rose, Peter Edward
 PA Ilford Imaging UK Ltd., UK
 SO Brit. UK Pat. Appl., 18 pp.
 CODEN: BAXXDU
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	GB 2356866	A1	20010606	GB 1999-28109	19991130
	GB 2356866	B2	20040128		
PRAI	GB 1999-28109		19991130		
OS	MARPAT 135:228321				
GI					



AB Bis-azo compds. I were derived from diazotized (carboxy/sulfo)-anilines and 1,4-bis(acetoacetamido)phenylenes, where X1 and X2 = SO₃H or COOH or their sodium salts, Z = SO₃H, Y1, Y2, and Y1 and Y2 = H, C1-4 alkyl, halogen, OR, COOR (R = C1-4 alkyl) or COOH or salt forms, m = 0-2, n = 1-2 and p = 0-2. These compds. can be used in inks for improving the dispersion properties of aqueous compns. comprising yellow or orange pigments.


IT 359688-15-6P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(Bis-azo compds. and their use in pigment-ink compns. for improved dispersion properties)

RN 359688-15-6 CAPLUS

CN 1,4-Benzenedicarboxylic acid, 2,2'-[1,4-phenylenebis(imino(1-acetyl)-2-oxo-2,1-ethanediyl)azo]]bis-, tetrasodium salt (9CI) (CA INDEX NAME)




● 4 Na

L11 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1994:511471 CAPLUS
 DN 121:111471
 TI Preparation and use of disazo pigments
 IN Jung, Ruediger; Weide, Joachim; Metz, Hans Joachim
 PA Hoechst A.-G., Germany
 SO Ger. Offen.. 24 pp.
 CODEN: GWXXBX
 DT Patent
 LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 4229207	A1	19940303	DE 1992-4229207	19920902
	DE 4229207	C2	19981217		
	IN 179812	A	19971213	IN 1993-CA347	19930621
	EP 585873	A1	19940309	EP 1993-113899	19930831
	EP 585873	B1	19971229		
	R: BE, CH, DE, DK, ES, FR, GB, IT, LI				
	ES 2112937	T3	19980416	ES 1993-113899	19930831
	JP 06166826	A2	19940614	JP 1993-217717	19930901
	US 5559216	A	19960924	US 1993-115894	19930901
PRAI	DE 1992-4229207	A	19920902		
OS	MARPAT 121:111471				
GI					




AB The pigments (I; R₁, R₂ = H, halogen, C₁-4-alkyl, C₁-4-alkoxy, alkoxy carbonyl, NO₂, CN, OPh, CF₃; X₁, X₂ = optionally substituted Ph, naphthyl, anthraquinonyl, or condensed heterocyclic group) are obtained by aqueous 1-step azo coupling using ≥1 nonionic surfactant (having an aqueous cloud point) before isolation of the pigment and are used for printing inks. I thus obtained have improved coloristic properties. Thus, 4,2-O₂N(MeO)C₆H₃NH₂ was diazotized and coupled 2:1 with p-C₆H₄(NHC₂H₄COMe)₂ using an ethoxylated, propoxylated C₁₂-15 fatty alc. to give an orange pigment. The pigment purity was improved by use of the surfactant.

IT 156564-68-0P

RL: IMF (Industrial manufacture); PREP (Preparation)
 (preparation of, as yellow pigment for printing inks)


RN 156564-68-0 CAPLUS

CN Benzoic acid, 2,2'-[1,4-phenylenebis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)



L11 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 1984:532460 CAPLUS
 DN 101:132460
 TI Disazo dyes based on aminobenzoic acids and bis(acetoacetamides)
 IN Dobrovolny, Jan; Bartosek, Jan; Havlickova, Libuse; Kolonicny, Alois;
 Panek, Jan; Kvapilova, Lenka; Weisbauer, Vaclav
 PA Czech.
 SO Czech.. 6 pp.
 CODEN: CZXXA9
 DT Patent
 LA Czech
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	CS 208620	B	19810915	CS 1979-8535	19791207
PRAI	CS 1979-8535		19791207		
GI					




AB Pure yellow disazo dyes of general structure $[HO_2CZ:N:NCH(COMe)CONH]_2Z_1$ (Z = phenylene optionally substituted by halogen, alkyl, alkoxy, CF₃, carbalkoxy, or NO₂; Z₁ = arylene optionally substituted by 1 or 2 halogen atoms, alkyl, alkoxy, CF₃ or CN) are prepared by coupling a diazotized aminobenzoic acid with an aromatic bis(acetoacetamide) (mol. ratio 2:1) in an aqueous suspension or solution at pH 3.5-13 and 0-80°. The components are mixed in various ways depending on pH, and the dye is isolated as the free diacid and/or the di-Na salt. Up to 10% dispersing agents may be added. Thus, a solution of 35.4 g 4,3-Cl(H₂N)C₆H₃CO₂H [2840-28-0] was diazotized and added to a suspension of 30.4 g 1,4-bis(acetoacetyl amino)-2,5-dimethylbenzene [24304-50-5] (prepared by precipitation of its alkaline enolate with AcOH) at pH 5.2 and 60° to give a paste containing 65.6 g I [74351-78-3].

IT 91991-64-9P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (dye, manufacture of)

RN 91991-64-9 CAPLUS

CN Benzoic acid, 2,2'-[(2-chloro-1,4-phenylene)bis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis[4-chloro- (9CI) (CA INDEX NAME)



L11 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1976:6482 CAPLUS

DN 84:6482

TI Disazo tetracarboxylic acid dyes

IN Towle, Jack L.

PA Chemetron Corp., USA

SO Ger. Offen., 21 pp.

CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 2511092	A1	19751002	DE 1975-2511092	19750313
	US 3951943	A	19760420	US 1974-451873	19740318
	CH 612210	A	19790713	CH 1975-2330	19750225
	GB 1497437	A	19780112	GB 1975-10343	19750312
	JP 50126634	A2	19751004	JP 1975-32131	19750317
	FR 2270239	A1	19751205	FR 1975-8447	19750318
	FR 2270239	B1	19790928		
PRAI	US 1974-451873		19740318		

GI For diagram(s), see printed CA Issue.

AB Disazotetracarboxylic acids (I, Z = 2,5-dichloro-p-phenylene, 3,3'-dimethyl-4,4'-biphenylene) were prepared in >96% yield by coupling diazotized 2,3-(HO₂C)2C₆H₃NH₂ [5434-20-8] with (MeCOCH₂CONH)2Z in an aqueous tetrahydrofuran [109-99-9] solution. Dehydration of the dicarboxylic acids gave the corresponding anhydrides and treatment with amines gave the corresponding carboximide derivs.


IT 57532-26-0P

RL: IMF (Industrial manufacture); PREP (Preparation)
(preparation of)

RN 57532-26-0 CAPLUS

CN 1,2-Benzenedicarboxylic acid, 3,3'-[(2,5-dichloro-1,4-phenylene)bis[imino(1-acetyl-2-oxo-2,1-ethanediyl)azo]]bis- (9CI) (CA INDEX NAME)

PAGE 1-A



10/666.435

Page 16

PAGE 1-B

—CO₂H

10/666,435

Page 17

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
19.46	519.98

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-2.77	-2.77

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 17:28:21 ON 25 FEB 2004